

KM-3035

discover

▶ the truly multifunctional copier that will maximise your workflow efficiency



▶ print ▶ copy ▶ scan ▶ fax

discover



▶ The advantage of the KM-3035 multifunctional office system from Kyocera Mita

A growing business faces growing demands. You meet new challenges every day, and you need to know you've got the right office equipment behind you. That's why Kyocera Mita created the KM-3035 – the intelligent alternative to the inefficiency of running a collection of separate office devices. Save your resources and make a more professional impression by replacing your legacy copier, printer, fax machine and/or scanner with one perfectly integrated device. The KM-3035 brings a new level of workflow efficiency to your business – and delivers outstanding performance and reliability.

▶ On target for optimised workflow

The KM-3035 from Kyocera Mita enables you to get more with less effort. Even with the tightest deadlines, you know you can deliver on time with 30 pages per minute. Thanks to its intelligent modular structure, you can customise your KM-3035 to meet the specifications you need for optimal productivity. And with double-sided printing as standard, you can create professional documents with outstanding ease.

▶ On target for efficiency

The KM-3035 is tailor-made to smooth every step of your office's workflow. Need to send a copy of a document to three different people? Forget marching from your computer to your printer to your fax. With the KM-3035 multifunctional document management system, it's done in seconds. If you add the optional 20GB hard disk (HD-70) you can even store the data for frequently-used forms, logos and corporate design material in the KM-3035 for printing on demand.

▶ On target for networking

With the KM-3035 everyone in your business has access to business-critical information, thanks to the seamless integration of print, copy, scan and fax functionalities. Hard copy or digital, the KM-3035 from Kyocera Mita gives you the tools you need to ensure that every member of your team has the information they need – when they need it. Create hard copies, print extensive documents; send faxes, store digital copies on your server system: the KM-3035 is the all-in-one tool for spreading your message.


▶ On target for cost-effectiveness

Stay on target with the KM-3035. Kyocera Mita utilises long-life components to deliver outstanding durability for all consumables. Thanks to Kyocera Mita's unique cartridge-free printing technology, you only pay for what you consume, nothing more. And instead of running two, three or four devices, you're only paying for one. That means that you get higher returns from your investment – page after page, month after month.



KM-3035 with optional paper feeder (PF-70), external finisher (DF-73) and automatic document processor (SRDF-2)

**Perfect overview:
The intuitive KX Driver interface enables
effortless network configuration**



► Print

With the optional Printing System (U), the KM-3035 becomes a network printer capable of handling the demanding print needs of a busy office. The Printing System (U) comes bundled with KM-Net Viewer, an advanced network management software tool that allows you to monitor your Kyocera Mita copiers and printers and other SNMP devices in your network. All Kyocera Mita devices use the same KX Driver, which means that they can all be configured with one familiar graphic user interface. KX Driver supports not only PCL6 and PostScript3 but also PRESCRIBE, the powerful control language for Kyocera Mita devices, enabling you to create customised solutions for the needs of your office.



**KM-3035 with optional cabinet (CB-70),
internal finisher (DF-78) and automatic
document processor (SRDF-2)**



► Copy

The KM-3035 is designed to give you more independence. The scan-once print-many function enables you to quickly scan multi-page documents – up to 50 originals per minute – and then carry on with other things while the KM-3035 completes the job, producing high-resolution copies of the original and sorting the output automatically. Thanks to the standard automatic duplex feature, you can effortlessly create double-sided copies, too. The range of electronic sorting functions makes the KM-3035 even more versatile even without a finisher.

disco

► Scan

Converting paper-based documents into electronic images that can be shared throughout your entire organisation is as easy as making a copy with the KM-3035's optional scan system (E). You are able to scan double-sided documents, at a speedy 50 originals per minute with outstanding quality: 600 dpi in A4. Eliminate fax expenses by e-mailing scans directly from the system.



The KM-3035 with optional automatic document processor (SDRF-2)



Touch Panel Control

Smooth operator: the KM-3035's distinctive control panel is complemented by the ultra-wide touch-screen display. Its intuitive design, large touch keys, clear user guidance and graphics make the KM-3035 superbly easy to operate. Your most frequently-used features are always at your fingertips, thanks to the shortcut-key features.

► Fax

Send faxes quickly with the optional Fax System (J) for the KM-3035. Thanks to the Super G3 modem (33.6 kbps) the KM-3035 can send an A4 page in just 2-3 seconds. You can even send A3 faxes – secure in the knowledge that your KM-3035 will automatically reformat it to A4 if your recipient lacks an A3-compatible device.

cover


▶ The art of total document management

The KM-3035 enhances the office environment as well as office efficiency thanks to a compact and modern duo tone design. Space is not wasted because of its internal paper tray. When you use a product as much as you'll be using the KM-3035, it ought to look good! The KM-3035 is by nature totally customisable, it gives you the freedom to build exactly the system which fits your needs.

KM-3035 with optional paper feeder (PF-70), internal finisher (DF-78) and automatic document feeder (SRDF-2)



▶ Double-sided printing



Standard automatic duplex in the KM-3035 enables you to make dramatic savings on paper costs and archive space. Print invoices with information about forthcoming offers on the back. Include a copy of your company's general terms and conditions on the back of letters to clients. Transform reports automatically into high-impact folded and stapled booklets, with the help of an optional finisher.

disco

► Wide range of finishing options

PROFESSIONAL DOCUMENT FINISHING

Choose between four finishers and create impressive documents, complete with covers, inserts and page numbers, with a choice of staple and hole-punch positions. Staple up to 50 sheets per set, 2 or 4 hole punch or use the saddle-stitch and fold booklets. Thanks to the optional booklet stitcher, the KM-3035 can automatically create A4 and A5 booklets complete with centre binding and automatic folding.

MAILBOX AND JOB SEPARATOR

The optional 7 bin Mailbox (M-2107) in combination with the high-capacity finisher (DF-71E) provides more convenience, flexibility and confidentiality in mixed copy and print output environments. Or add the optional Job Separator (J-1402) to create a second output tray, ensuring that individual jobs or incoming faxes remain clearly divided.

THE DIGITAL COMMUNICATION CENTRE

Delivering 30 copies/prints per minute, standard duplex and a first copy time of just 3.9 seconds, the KM-3035 combines powerful digital copying features with outstanding ease of use and cost-effectiveness.

But the KM-3035 can do much more than just copy: it is a true multifunctional device, ready to serve your office as a high-performance network printer, as a fax and as an A3 scanner.

Optional hard disks provide useful functions such as job storage on the KM-3035 or job protection with a PIN number.



KM-3035 with optional paper feeder (PF-70), external finisher (DF-75) and automatic document processor (SRDF-2)

► Discover the new benchmark for productivity in your department

For fast, impressive output and powerful document management capabilities, you can't beat the KM-3035 from Kyocera Mita. The KM-3035 is a truly multifunctional device, enabling your department to print, scan and fax from one device. The KM-3035 puts professional document management technology at your fingertips.

over

KM-3035

Monochrome A3 multifunctional

System platform

The KM-3035 delivers outstanding network connectivity and problem-free system administration. Kyocera Mita's single platform technology means that the same driver can be used for every KM print device in the network: from single-user desktop printers to high-end multifunctional systems. Only Kyocera Mita offers this effortless combination of IT sophistication and high-performance paper handling expertise.

GENERAL

Technology: Kyocera Mita Laser, Mono component
Type: Desktop
Engine speed: Max. 30/20 pages A4/A3 per minute
Resolution: 600 x 600 dpi, 256 greyscales (scan/copy)
Fast 1,200 dpi (1,800 x 600 dpi), 2,400 x 600 dpi with KIR2 (print)
Time to first copy: 3.9 seconds or less
Warm-up time: 25 seconds or less
Duty Cycle: 100,000 pages
Power source: AC 220-240 V, 50/60 Hz
Power Consumption: Printing: 670 W, Stand-By: 200 W or less, Power-Saving (ECOpower): 75 W or less
Noise (ISO 7779): Printing: 65 dB (A), Stand-By: 40 dB (A)
Dimensions (W x D x H): 585 x 646 x 745 mm
Weight: Approx. 82 kg
Certification: TÜV/GS, CE, PTS
This product is produced according to the quality norm ISO 9001 and the environmental guidelines ISO 14001

PAPER HANDLING

All mentioned paper capacities are based on a paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera Mita under normal environmental conditions.

Input capacity: 500-sheet x 2 universal paper cassette, 60-105g/m², A5R-A3, Folio, 200-sheet multi-purpose tray 45-200g/m², A6R-A3, Folio, Envelopes, Max. capacity 4,200 sheets
Output capacity: 250 sheets

COPY FUNCTIONS

Maximum original size: A3
Continuous copying: 1-999
Memory capacity: 64 MB standard, Max. 64 MB + 20 GB HDD (with HD-70)
Zoom Range: 25% - 400% in 1% steps (with DP ; 25 - 200%)
Preset magnification ratios: 21 Reduction, 9 Enlargement
Exposure mode: Auto, Manual 7 or 13 steps
Image adjustments: Text + Photo, Text, Photo
Digital copy features: Energy save mode, interrupt copy, scan once print many, electronic sort, rotate sort, rotate copy, N-up copy, filing copy, split copy, cover mode, page numbering, image overlay, margin shift, border erase, positive/negative, mirror, proof mode, duplex, booklet copy, program (8), department code (100)(1,000¹), job built, job reservation¹, image centering, repeat copy¹, form registration¹, shared data box¹, synergy print boxes¹.
¹ Requires the optional HD-70

CONTROLLER PRINT FUNCTIONS (optional)

Processor: Power PC 750CX / 500 MHz
Memory: Standard 64 MB + ECOMemory, Max. 576 MB, 2 additional DIMM slots (32, 64, 128, 256 MB) + HDD 20 GB (HD-4)

PRESCRIBE IIe

With the Kyocera Mita page design and control language PRESCRIBE IIe, even complex graphics, logos and forms (even multipart forms) can be created independently of the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

Typefaces and barcodes

The 136 scalable PostScript fonts provide high flexibility for all applications. A total of 45 integrated barcodes including hash totals are computed automatically by the printer and printed in the desired size, alignment and position.

Emulations: PCL6 incl. P.J.L, KPDL3 (PostScript3 compatible), Line Printer, IBM Proprinter X24, Epson Q-850, Diablo 630, KC-GL, PDF-direct print
Controller language: PRESCRIBE IIe
Fonts: 80 outline fonts (PCL6), 1 Bitmap font, 136 outline fonts (KPDL3), 45 types of one-dimensional and 1 type of two-dimensional barcodes (PDF-417)
Print features: eMPS - for quick copy, proof and hold, private print, storage and job management functionality with hard disk

INTERFACES

Standard interface: High speed bi-directional parallel (IEEE1284), USB (High Speed), Fast Ethernet 10/100Base-TX, 2 KUIOLV slots
Multiple interface connection (MIC): MIC allows for simultaneous data transfer via up to four interfaces, each interface having its own virtual printer.

SCAN FUNCTIONS (optional)

Functionality: Scan-to-PC, scan-to-email, network TWIN
Scan speed: 50 originals per minute (600 dpi/A4)
Original type: Text, photo, text + photo and OCR
Maximum scan size: A3
Scan resolution: 600, 400, 300, 200 dpi (256 greyscales)
Applicable PC: IBM PC/AT compatible
Applicable OS: Windows 95, 98, Me, NT4.0, 2,000, XP
Interface: 10/100Base-TX
Network protocol: TCP/IP
Compression format: G4 (MMR)
Image format: TIFF, PDF
Bundled software: DB-Assistant, Scanner file utility, Address book, Address editor, TWIN Source, PaperPort 8.2

FAX FUNCTIONS (optional)²

Compatibility: ITU-T Super G3
Modem speed: Max. 33.6 kbps
Transmission speed: 3 seconds or less (JBIG)
Scanning speed: 1 second
Scanning density: Normal: 8 dot/mm x 3.85 line/mm, Fine: 8 dot/mm x 7.7 line/mm, Superfine: 8 dot/mm x 15.4 line/mm, Ultrafine: 16 dot/mm x 15.4 line/mm (with optional memory), Halftone
Maximum original size: A3
Compression method: JBIG, MMR, MR, MH
Memory: Standard 4 MB Bitmap (Max. 8 MB), Standard 4 MB Image (Max. 8 MB)
Fax features: Network faxing³, Rotate transmission, Duplex fax reception, Confidential, Relay and bulletin board transmission and reception, N-up reception, Mailbox, Remote diagnostics.

² Requires optional SRDF-2

³ Requires optional Scan System (E)

KM-NET Viewer

KM-NET Viewer is an advanced network management software tool that is compatible with all Kyocera Mita printers and multifunctional products as well as those of other vendors by using the standardized protocol SNMP. The settings of all printers on the network can be checked visually and amended from any Windows PC. KM-NET Viewer also acts as a valuable, real-time early warning system by sending eMail-Messages.

CompactFlash® card

The CompactFlash® card offers abundant storage space for typefaces, logos, standard forms and signatures as well as individual API or PRESCRIBE macros.

Printer hard disk

The optional hard disk offers even more efficient document management. At the same time it allows the management of print data with eMPS functions such as quick copy, proof and hold, private print and job storage (HD-4ME).

OPTIONS

Printing System (U), Scan System (E), Fax System (J)

Paper handling
SRDF-2 Document processor: Reversing document processor, 100-sheet, 35-160 g/m², A5R-A3, Folio (ADF), 100-sheet, 50-120 g/m², A5R-A3, Folio (RADF)
PF-70 Paper feeder: 500-sheet x 2, 60-105g/m², A5R-A3, Folio
PF-75 Paper feeder: 3,000-sheet, 60-105g/m², A4
DF-71E+AK-71C Document finisher: 3,000-sheet, 45-200g/m², A6R-A3, Folio, 2/4 hole punch, staple (50-sheet), 3 positions
M-2107 Mailbox: 7bin x 100-sheet mailbox, 64-105g/m², A5R-A3, for DF-71E
DF-73+AK-71C Document finisher: 1,000-sheet, 64-128g/m², B5-A3, Folio, staple (30-sheet), 1 position
DF-75+AK-71C+RA-1 Booklet stitcher: 1,000-sheet, 60-200 g/m², B5-A3, staple (50-sheet), 3 positions, Saddle stitch (10-sheet)
PH-2B/2C/2D Punch unit: 2-hole, 4-hole or Swedish type, for DF-75
DF-78 Document finisher: 500-sheet, B5-A3, Folio, 60-80g/m², staple (30 sheets), 1 position
J-1402 Job separator: 100-sheet internal job separator, 45-160g/m², A5R-A3

Memory
Copy memory
HD-70 hard disk: 20 GB, storage of data, document management
Printer memory
DIMM memory: 2 slots, (32, 64, 128, 256 MB DIMM)
CompactFlash card: 1 slot, (8, 16, 32, 64 MB) forms, fonts, logos, macro storage
HD-4 Hard disk: 20 GB, storage of data, forms, fonts, etc. and eMPS
FAX memory
FM1-8MB: Bitmap (4 MB) and Image memory (4 MB)
Others
Platen cover (D): Platen cover
DT-70: Document tray and storage for pens etc.
Cabinet: Desk with storage capacity

Optional interface
IB-21E Network card: 10/100Base-TX
SB-110FX Network card: 10/100Base-TX / 100Base-FX, FiberOptic
SB-50 Network card: 10Base-FL, Fiberlink
SB-60 Network card: TokenRing STP/UTP
SB-70 Network card: Wireless LAN - IEEE 802.11b

CONSUMABLES

Toner Kit: Microfine toner for 34,000 pages with 6% A4 coverage

Your Kyocera Mita Business Partner:



Kyocera Mita (UK) Ltd 8 Beacontree Plaza, Gillette Way, READING RG2 0BS
t: 0118 931 1500 f: 0118 931 1108 e: kyoceramita@kyoceramita.co.uk w: www.kyoceramita.co.uk

Kyocera Mita does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

